

FERTI-IRON PLUS

GENERAL USE INFORMATION - READ ENTIRE LABEL BEFORE USING THIS PRODUCT

GENERAL INFORMATION

FERTI-IRON PLUS is most effective when plants are growing rapidly and least effective when dormant or suffering from stress. FERTI-IRON PLUS is compatible with most pesticides and fertilizers, with the exception of amine formulations and high phosphate fertilizers.

DO NOT use the tank mix with either amine products or high phosphate fertilizers. On plants with waxy leaf surfaces 12 oz. of a non-ionic wetting agent like SmartLine™ Supr-Spred™, per 100 gals. "finished" spray will aid leaf penetration.

DIRECTIONS FOR USE

CONSULT YOUR LOCAL FERTIZONA REPRESENTATIVE OR

OTHER AGRICULTURAL SPECIALIST FOR SPECIFIC CROP RECOMMENDATIONS.

ORNAMENTALS - HERBACEOUS PLANTS: Hardy Aster, Alyssum, Canna, Carnation, Chrysanthemum, Daylily, Fern, Geranium, Gladiolas, Iris, Larkspur, Marigold, Nasturtium, Petunia, Portulaca, Verbenas, and similar annuals and perennials.

FOLIAR: Mix ½ pt. per 25 gals. of water and spray to point of run-off. For smaller quantities mix 2 oz. per 3 gals. water. SOIL: Apply 4-6 oz. in 3 gals. water per 100 ft.² and water in well.

SHRUBS: Azalea, Camellia, Cherry Laurel, Crepe Myrtle, Euonymus, Forsythia, Gardenia, Honeysuckle, Hydrangea, Ligustrum, Primrose, Pyracantha, Phododendron, Rose, Spirea, and smaller shrubs and vines.

FOLIAR: Mix ½ gal. per 100 gals. of water and spray to point of run-off. For smaller quantities mix approximately ¾ oz. per 1 gal. of water.

SOIL: Apply 5-6 oz. for small shrubs and 10-12 oz. for large shrubs. Apply directly underneath the shrub and water in well. TREES: Catalpa, Chinese Arborvitae, Cypress, Dogwood, Elm, Ginko, Juniper, Magnolia, Maple, Mimosa, Pin Oak, Pine, Russian Olive. Spruce. Svcamore. Sweet Gum and other trees and very large woody shrubs.

FOLIAR: Mix 1 gal. per 100 gals. of water and spray to point of run-off. For smaller quantities use approximately 11/4 oz. per 1 gal. of water.

SOIL: Apply 1 pt. per 1" of trunk diameter (measured at chest height) on soil. For example: if trunks diameter is 6" at chest height, use 6 pts. on the soil. Water well after application. Insure placement within drip zone.

TURF: Bahia, Bent Bermuda, Centipede, Fescue, St. Augustine, and Zoysia grass. Apply 2-4 oz. per 1000 ft.² with sufficient water for good coverage. Spray to the point of run-off. 3 or 4 applications per growing season usually produces best results. Bluegrass, ryegrass and other northern grasses. Apply 2-6 oz. per 1000 ft.² with sufficient water for good coverage. Spray to the point of run-off. 3 or 4 applications per growing season usually produces best results.

INJECTION SYSTEMS: Inject at rate of 50-100 ppm monthly.

SmartLine and Supr-Spred are trademarks of Fertilizer Company of Arizona, Inc.

DENSITY: 11 LBS. PER GAL. AT 68° F

5 gals. (18.925 L), 55.0 lbs. (24.95 Kg)

Bulk

Distributed By:

FERTILIZER COMPANY OF ARIZONA, INC.

2850 S. Peart Road • Casa Grande. Arizona 85193-9024 • (520) 836-7477

15-0-0 GUARANTEED ANALYSIS

 Total Nitrogen (N)
 15%

 15% Urea Nitrogen
 6%

 Iron (Fe)
 6%

 Sulfur (S)
 3%

Derived from: urea and ferrous sulfate heptahydrate.

SDS available upon request.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm



Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

PRECAUTIONARY STATEMENTS

Avoid breathing mist and/or spray. Wash thoroughly after handling. Wear protective gloves, clothing and eye protection. Apply this product only as specified on this label and only to intended treatment areas.

FIRST AID

IF SWALLOWED: Rinse mouth. Call a poison center or doctor/physician if you feel unwell.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

STORAGE AND DISPOSAL: Keep product in original container. Store in a dry place. Keep container tightly closed. Do not contaminate feed or food items. Do not store at temperatures below 32° F. Dispose of waste or empty container in accordance with applicable Federal, State, and local laws and regulations.

NOTICE

READ ENTIRE LABEL BEFORE USE, IF TERMS ARE UNACCEPTABLE RETURN AT ONCE – UNOPENED.

Fertilizer Company of Arizona, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Fertilizer Company of Arizona, Inc. In no case shall Fertilizer Company of Arizona, Inc. be liable for consequential, special or indirect damages resulting from the use or handling of this product. The buyer shall assume all such risks. Fertilizer Company of Arizona, Inc. makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.